

Quiz Page — Vaginitis and Its Treatment

1. Which of the following are associated with the occurrence of vaginitis?

- a. allergy
- b. sexual activity
- c. hygiene
- d. all of the above

2. In normal women, the vaginal pH is

- a. 1 to 2
- b. 4.5 to 5.5
- c. 10 to 12
- d. cannot be calculated because of sampling problems

3. The predominant organisms in the vagina in both non-pregnant and pregnant women are

- a. E. coli
- b. candida
- c. lactobacilli
- d. S. epidermidis

4. Which of the following are associated with high amounts of bacteria?

- a. estrogen
- b. progesterone
- c. seminal fluid
- d. all of the above

5. Which of the following are associated with a greater opportunity to have vaginitis?

- a. diabetes mellitus
- b. stress
- c. pregnancy
- d. all of the above

6. Which of the following drugs may provide predisposing factors for vaginitis?

- a. multiple vitamins
- b. broad spectrum antibiotics
- c. antihistamines
- d. all of the above

7. Gardnerella vaginalis

- a. is associated with Candida infections
- b. is the same organism as that causing trichomoniasis
- c. is associated with nonspecific vaginosis
- d. accounts for 75% of all vaginal infections

8. Which of the following organisms is responsible for atrophic vaginitis?

- a. E. coli
- b. Candida
- c. N. gonorrhoeae
- d. none of the above

9. Genital herpes

- a. is caused by herpes simplex virus
- b. is the same as Candida
- c. has an incubation period < 10 hours
- d. affects only young females

10. Which of the following drugs are used to treat Candida vaginal infections?

- a. metronidazole
- b. ampicillin
- c. miconazole
- d. acyclovir

11. A current drug of choice for treating symptoms of genital herpes is

- a. acyclovir
- b. ampicillin
- c. triple sulfa
- d. nystatin

12. The drug used to treat trichomoniasis is

- a. ampicillin
- b. metronidazole
- c. acyclovir
- d. clotrimazole

13. Which of the following are adverse effects of metronidazole?

- a. nausea and headache
- b. severe rash and blood dyscrasia
- c. headache and bloody dysfunction
- d. liver failure and disulfiram-like reaction

14. Which of the following has been used in the treatment of nonspecific vaginosis ?

- a. acyclovir
- b. triple sulfa
- c. metronidazole
- d. all of the above

15. Which of the following drugs are used to treat chlamydial infections?

- a. erythromycin
- b. doxycycline
- c. nystatin
- d. a & b

NOTE: THIS DOCUMENT IS NOT VALID FOR CREDIT. DO NOT MAIL THIS DOCUMENT TO ELF PUBLICATIONS. YOU SHOULD COMPLETE THE EXAM ONLINE.